

Version 1.0 Revision Date 01/14/2021

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY UNDERTAKING

1.1 Product identifier

Product name AIR RELEASE

Chemical name PETROLEUM DISTILATES, NOS

Product code -

CAS number Not applicable

1.2 Manufacturer, Importer or Responsible Party

Name SAFAS Corporation

Address 2 Ackerman Avenue Clifton

New Jersey, 07011

USA

Telephone +1 973 772 5252

1.5 Emergency phone number

Telephone <u>USA</u>: 1-800-424-9300

International: 1-703-527-3887

1.6 Relevant use of the product

Applications No data available

1.7 Product Uses advised against

No data available

2. HAZARDS IDENTIFICATION

2.1. The hazard classification of the chemical according to HazCom 2012 (US-GHS)

Flam. Liq. 3 H226 Flammable liquid and vapour

Specific target organ

Toxicity, single

exposure, Category 3

H304 May be fatal if swallowed and enters airways

Aspiration Hazard, 1 H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

2.2. Signal word DANGER

2.3. Hazard statements H226 Flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness



Version 1.0 Revision Date 01/14/2021

2.4. Danger symbols



2.5. Precautionary statements

Prevention P210 Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment. P241 Use explosion-

proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/vapors/ spray. P271 Use only

outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off

immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P331 Do NOT induce vomiting. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-

resistant foam for extinction.

Storage P403 + P233 Store in a well-ventilated place. Keep container tightly

closed.

P403 + P235 Store in a well-ventilated place. Keep cool. P405

Store locked up.

Disposal P501: Dispose of contents/container in accordance with local / regional /

national/international regulations.

2.6. Description of any hazards not otherwise

classified

N/A

2.7. % ingredient(s) with

unknown acute

toxicity

N/A



Version 1.0 Revision Date 01/14/2021

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-Nr.	Concentration %
Solvent naptha, petroleum, light aromatic	64742-95-6	>=90 - <91

4. FIRST AID MEASURES

4.1 First Aid measures after Inhalation

Following inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

4.2 First Aid measures after Skin exposure

Following skin contact Immediately flush with plenty of water for at least 15 minutes. While

removing contaminated clothing and shoes. Get medical attention. Wash

contaminated clothing before reuse.

4.3 First Aid measures after Eye exposure

Following eye contact Immediately flush with plenty of water for at least 20 minutes. Get medical

attention.

4.4 First Aid measures after Ingestion

Following ingestion Do not induce vomiting; aspiration hazard. Dilute with 1-2 glasses of water.

Get medical aid. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs. Never give anything by mouth to an

unconscious person.

4.5 Most important symptoms and effects, both acute and delayed

INHALATION Not determined.

SKIN Not determined.

EYES Not determined.

INGESTION Not determined.

4.6 Indication of any immediate medical attention and special treatment needed

None Known

5. FIREFIGHTING MEASURES

5.1 Extinguishing media *Suitable*: Foam, Water Spray, Dry Chemical, CO₂.

Unsuitable: None known.

5.2 Hazardous combustion

products

Carbone oxides



Version 1.0 Revision Date 01/14/2021

5.3 Special hazards arising from chemical or mixture

during the fire

Will not explode on mechanical impact.

Cool closed containers exposed to fire with water spray.

5.4 Special Protective Precautions or equipment for firefighters Self-contained breathing apparatus and protective clothing should be worn in

fighting fires involving chemicals.

5.5 Further Information Keep away from heat and sources of ignition

Keep away from oxidizing agents

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment

Wear protective gloves/protective clothing/eye protection/face protection.

Ventilate area if indoors.

6.2 Emergency procedures

Leaks and Spills: Eliminate all ignition sources.

6.3 Methods and materials used for containment

Contain spilled material, transfer to secure container. Where necessary collect

using absorbent media.

6.4 Cleanup procedures

Clean contaminated sites immediately. Wear proper protective equipment as

specified. Treat the recovered material as prescribed in the section on waste

disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe

handling

Avoid eye contact, prolonged or repeated skin contact, and inhalation of vapor.

Use with adequate ventilation.

Keep container closed when not in use. Handle as an industrial chemical. Keep

away from sources of ignition - no smoking.

7.2 Conditions for safe

storage

Store in a suitable location away from incompatible substances. Hazardous

product residue may remain after product has been removed from its container.

DO NOT reuse any empty container!!

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Components with workplace control parameters

Contains no substances with occupational exposure limit values

8.2 Any other exposure limit used or recommended by chemical manufacturer

None known.

8.3 Engineering Controls

General ventilation is required during normal use. Local ventilation may be required during certain operations to keep exposure levels below the exposure limit values listed above. Local exhaust if needed to control vapors at elevated temperatures.



Version 1.0 Revision Date 01/14/2021

8.4 Personal Protective Equipment

Respiratory protection: A NIOSH approved respirator for organic vapors should be worn if needed.

Hand protection: Protective Gloves recommended. (Viton®)

Eye protection: Safety glasses.

Hygiene measures: Do not drink, eat or smoke near the product. Wash hands before and after handling.

First Aid Facilities: Eye bath, safety shower, washing facilitation.

Skin & Body

<u>Protection:</u> Choose body protection according to the amount and concentration of the dangerous substance at

the work place

9. PHYSICAL AND CHEMICAL PROPERTIES

Information of basic physical and chemical properties

Appearance (physical

state, colour, etc.)

Odor Solvent like

Odor threshold No data available

pH No data available

Melting point/freezing

point;

No data available

Liquid, colourless

Boiling point No data available

Boiling Range No data available

Flash point 113°F (45C)

Evaporation rate No data available

Vapor Pressure (No data available

Flammability Flammable (Flam. Liq. 3)

Upper/lower flammability or explosive limits

No data available No data available

Relative density 0.88 g/cm3 (68F (20C))

Solubility in water Insoluable

Other Solvents No data available



Version 1.0 **Revision Date** 01/14/2021

Partition coefficient (n-

No data available

octanol/water)

Auto ignition temperature

No data available

Decomposition temperature

No data available

No data available Viscosity

10. STABILITY AND REACTIVITY

10.1 Reactivity Not classified as a reactivity hazard.

10.2 Chemical stability Stable, polymerization may not occur

10.3 Possibility of hazardous

reactions

No data available.

10.4 Conditions to avoid No data available.

10.5 Incompatible materials Acids. Strong oxidizing agents.

10.6 Hazardous decomposition

products

None expected.

11. TOXICOLOGICAL INFORMATION

11.1 Routes of exposure

No data available Acute toxicity:

Skin corrosion/irritation: No data available

No data available Serious eye damage/irritation:

Respiratory or skin sensitisation: No data available

11.2 Measures of Toxicity (e.G, LD50, LC50) + expected

amount to kill 50%

Not determined

11.3 Listed in IARC or considered carcinogen by NTP or OSHA

No

11.4 Related symptoms

N/A



Version 1.0 **Revision Date** 01/14/2021

12. ECOLOGICAL INFORMATION

No data available 12.1 Toxicity

12.2 Persistence and

degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

12.5 Other adverse effects No data available

13. DISPOSAL CONSIDERATIONS

13.1 Disposal methods to employ EPA Hazardous Waste Code: D001 Ignitable & D018 Benzene

> Dispose in accordance with national, state & local laws. In the US: dispose of waste according to Federal EPA and local regulation (800-424-

> Since emptied containers retain product residue, follow label warnings

9346 or 202-382-3000).

even after cont. is emptied.

13.2 Description of appropriate

disposal containers to use

No data available

13.3 Description of the physical and chemical properties that may

affect disposal activities

13.4 Language discouraging

sewage disposal.

No data available

13.5 Any special precautions for

landfills or incineration activities

No data available

14. TRANSPORT INFORMATION

UN Number UN 1268

UN proper shipping name Petroleum distillates, n.o.s.

Packing group Ш

Flammable Class 3

Labels Flammable Liquid

Packaging Instruction Passenger Aircraft: 355

Cargo Aircraft: 366

IMDG F-E, S-E

Marine Pollutant Yes **ERG Code** 128



Version 1.0 Revision Date 01/14/2021

15. REGULATORY INFORMATION

National and/or regional regulatory information of the chemical or mixtures

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a SARA 302 RQ.

SARA 311/312 Hazards : Acute Health Hazard; Fire Hazard

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Non-volatile (Wt) : 9.75 % Method: 22 (10min/150°C) DIN EN ISO 3251

Non-volatile information is not a specification.

CONEG Heavy Metal: We confirm that we use packaging and/or packaging components in which the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium do not exceed 100 parts per million by weight.

The components of this product are reported in the following inventories:

TSCA : We certify that all of the components of this product are either

listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).

Section 4 / 12(b) : Not applicable

DSL : We certify that all of the components of this product are listed on the DSL.



Version 1.0 Revision Date 01/14/2021

16. OTHER INFORMATION

Indications on the revision

Revision on 4th of January 2021:

Addition of all fields as required by regulation (US) HazCom 1910.1200 [HCS 2012]. Update of the classification information and update of related sections accordingly.

Abbreviations and acronyms used

CAS N°.: Chemical Abstract Service Number

UN N°.: United Nations Number

Methods of evaluation for the classification of mixtures

The classification of the mixture was set based on the regulation (US) HazCom 1910.1200 [HCS 2012].

Other information

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of Safas Corporation's knowledge or obtained from sources believed by Safas Corporation to be accurate. Safas Corporation does not assume any responsibility for use or reliance upon same. Customers are encouraged to conduct their own tests. BEFORE USING ANY PRODUCT, READ ITS LABEL.